

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (cancelled)
2. (currently amended) The connection cover of claim ~~1~~ 4 wherein the connection cover is generally cylindrical in shape.
3. (cancelled)
4. (currently amended) A connection cover for at least two connection members comprising:  
a first main body section comprising at least one opening;  
a second main body section comprising at least one opening;  
first and second connectors adapted to engage the first and second main body  
sections, wherein the first connector and second connector are releasably engageable, ~~The~~  
~~connection cover of claim 3 wherein the each connector comprises~~ comprising an insert and  
a receptor adapted to receive the insert, the receptor comprising a releasing tab adapted to  
release the insert; and  
the openings allowing the at least two connection members to extend from the first  
and second main body sections when the first and second main body sections are engaged.
5. (currently amended) The connection cover of claim ~~1~~ 4 further comprising more than one first connector and more than one second connector.
6. (currently amended) The connection cover of claim ~~1~~ 4 wherein the first and second main body sections comprise more than one opening allowing more than two connection members to extend from the first and second main body sections.

7. (currently amended) The connection cover of claim ~~1~~ 4 wherein the at least two connection members comprise cables comprising cable connectors adapted to connect the cables.
8. (currently amended) The connection cover of claim ~~1~~ 4 wherein the at least two connection members comprise a cable comprising a cable connector and a cellular telephone antenna comprising an antenna connector adapted to connect to the cable connector.
9. (currently amended) The connection cover of claim ~~1~~ 4 further comprising first and second gaskets adapted to form a moisture-proof seal between the contact surfaces of the first and second main body sections as well as between the first and second main body section opening surfaces and the at least two connection members.
10. (currently amended) A connection cover for at least two connection members comprising:  
a first main body section comprising at least one opening;  
a second main body section comprising at least one opening;  
first and second connectors adapted to engage the first and second main body sections;  
the openings allowing the at least two connection members to extend from the first and second main body sections when the first and second main body sections are engaged;  
and  
first and second gaskets adapted to form a moisture-proof seal between the contact surfaces of the first and second main body sections as well as between the first and second main body section opening surfaces and the connection members. ~~The connection cover of claim 9 wherein each gasket further comprises~~ comprising a tongue section adapted to engage a corresponding groove section of the other gasket.
11. (cancelled)
12. (currently amended) The connection cover of claim ~~11~~ 14 wherein the connection cover is generally cylindrical in shape.

13. (cancelled)
14. (currently amended) A connection cover for at least two connection members comprising:  
a first main body section comprising at least one opening;  
a second main body section comprising at least one opening;  
first and second connectors adapted to engage the first and second main body  
sections, wherein the first connector and second connector are releasably engageable, The  
connection cover of claim 13 wherein the each connector comprises comprising an insert  
and a receptor adapted to receive the insert, the receptor comprising a releasing tab adapted  
to release the insert;  
the openings allowing the at least two connection members to extend from the first  
and second main body sections when the first and second main body sections are engaged;  
and  
first and second gaskets adapted to form a moisture-proof seal between the contact  
surfaces of the first and second main body sections as well as between the first and second  
main body section opening surfaces and the at least two connection members.
15. (currently amended) The connection cover of claim ~~11~~ 14 further comprising more than one first connector and more than one second connector.
16. (currently amended) The connection cover of claim ~~11~~ 14 wherein the first and second main body sections comprise more than one opening allowing more than two connection members to extend from the first and second main body sections.
17. (currently amended) The connection cover of claim ~~11~~ 14 wherein the at least two connection members comprise cables comprising cable connectors adapted to connect the cables.
18. (currently amended) The connection cover of claim ~~11~~ 14 wherein the at least two connection members comprise a cable comprising a cable connector and a cellular telephone antenna comprising an antenna connector adapted to connect to the cable connector.

19. (cancelled)
20. (currently amended) A connection cover for at least two connection members comprising:  
a first main body section comprising at least one opening;  
a second main body section comprising at least one opening;  
first and second connectors adapted to releasably engage the first and second main body sections, each connector comprising an insert and a receptor adapted to receive the insert, the receptor comprising a releasing tab adapted to release the insert;  
the openings allowing the at least two connection members to extend from the first and second main body sections when the first and second main body sections are engaged;  
and  
first and second gaskets adapted to form a moisture-proof seal between the contact surfaces of the first and second main body sections as well as between the first and second main body section opening surfaces and the connection members.
21. (original) The connection cover of claim 20 wherein the connection cover is generally cylindrical in shape.
22. (original) The connection cover of claim 20 further comprising more than one first connector and more than one second connector.
23. (original) The connection cover of claim 20 wherein the first and second main body sections further comprise more than one opening allowing more than two connection members to extend from the first and second main body sections.
24. (currently amended) The connection cover of claim 20 wherein the at least two connection members comprise cables comprising cable connectors adapted to connect the cables.

25. (currently amended) The connection cover of claim 20 wherein the at least two connection members comprise a cable comprising a cable connector and a cellular telephone antenna comprising an antenna connector adapted to connect to the cable connector.

26. (original) The connection cover of claim 20 wherein each gasket further comprises a tongue section adapted to engage a corresponding groove section of the other gasket.

27. (new) The connection cover of claim 9 wherein each gasket further comprises a tongue section adapted to engage a corresponding groove section of the other gasket.

28. (new) The connection cover of claim 14 wherein each gasket further comprises a tongue section adapted to engage a corresponding groove section of the other gasket.